	Туре	Ref #	Hits	Search Text	DBs
1	BRS	S1	6307	((fuse adj element) (fusible member)) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	s2	1/15	S1 and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	\$3	4	(("4,893,106") or ("4,973,932") or ("5,148,140") or ("5,604,474")).PN	USPAT
4	BRS	S 4	8	("3227844").URPN.	USPAT
5	BRS	S5	7	("3801947"   "3840836"   "3921116"   "4123738"   "4538133"   "4626817"   "4689596").PN.	US-PGPUB; USPAT; USOCR
6	IS&R	S6	225	(337/280).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Ref #	Hits	Search Text	DBs
7	BRS	s7	2	sheathed adj (fus\$4 adj (element link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S8	2	(fus\$4 adj	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	S 9	2	("6791448").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S10	9	((insulated covered) adj (fus\$4 adj (element member wire))) and "337"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S11	18	((insulated covered) adj (fus\$4 adj (element member wire)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	S12	5	(("3569891") or ("4150353")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

11/23/05, EAST Version: 2.0.1.4

	Туре	Ref #	Hits	Search Text	DBs
13	BRS	S13		fiber adj laced adj (glass epoxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S14		fiber adj	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S15	75	S14 and fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S16	17	S15 and ("337"/\$.ccls. "29"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	IS&R	s17	2730	((337/159,166,276,279,280,290,293,296,297) or (29/623)).CCLS.	
18	IS&R	S18	1167	(337/159,166,276, 279).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

11/23/05, EAST Version: 2.0.1.4

	Туре	Ref #	Hits	Search Text	DBs
19	IS&R	S19	1638	(	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	IS&R	S20	430	(29/623).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB